



T5 1-24W BP




Urms (V)	Irms (A)	P (W)	PF	Freq (Hz)
230.3	0.210	25.0	0.517	50.00

	spectrum	voltage	current	spectrum	voltage	current
	k	%	%	k	%	%
<p>THDU(IEC) 1.5%</p>	0	0.0	0.0	1	100.0	100.0
	2	0.0	0.2	3	1.3	90.4
	4	0.0	0.2	5	0.4	74.4
	6	0.0	0.3	7	0.6	55.6
	8	0.0	0.4	9	0.0	39.4
	10	0.0	0.3	11	0.1	29.9
	12	0.0	0.3	13	0.2	26.7
	14	0.0	0.2	15	0.1	24.6
	16	0.0	0.3	17	0.1	21.0
	18	0.0	0.3	19	0.1	17.3
	20	0.0	0.3	21	0.0	16.5
	22	0.0	0.4	23	0.1	17.8
	24	0.0	0.5	25	0.1	18.5
	26	0.0	0.3	27	0.0	17.5
	28	0.0	0.4	29	0.0	14.9
	30	0.0	0.4	31	0.1	11.7
	32	0.0	0.1	33	0.0	9.4
	34	0.0	0.3	35	0.0	7.6
	36	0.0	0.1	37	0.0	6.1
	38	0.0	0.1	39	0.0	4.4

<p>THDI(IEC) 152.0%</p>	k	%
	1	152.0




T5 1-24W BP




Irms (A)	PF	THDI (%)	Begin Phase (°)	Peak Phase (°)	End Phase (°)
0.210	0.514	155.5	62	68	100

			spectrum	current	mA/W	spectrum	current	mA/W
			k	(A)		k	(A)	
			0	0.000	0.0	1	0.113	4.6
			2	0.000	0.0	3	0.103	4.2
			4	0.001	0.0	5	0.086	3.5
			6	0.000	0.0	7	0.065	2.6
			8	0.000	0.0	9	0.047	1.9
			10	0.001	0.0	11	0.036	1.5
			12	0.001	0.0	13	0.031	1.3
			14	0.001	0.0	15	0.028	1.1
			16	0.001	0.0	17	0.023	0.9
			18	0.001	0.0	19	0.020	0.8
			20	0.000	0.0	21	0.019	0.8
			22	0.001	0.0	23	0.020	0.8
			24	0.001	0.0	25	0.021	0.8
			26	0.001	0.0	27	0.020	0.8
			28	0.001	0.0	29	0.018	0.7
			30	0.001	0.0	31	0.016	0.6
			32	0.001	0.0	33	0.014	0.5
			34	0.000	0.0	35	0.011	0.5
			36	0.000	0.0	37	0.008	0.3
			38	0.000	0.0	39	0.004	0.2


spectrum	current
k	%
2	0.3
3	91.1
5	75.6
7	57.5
9	41.8
11	32.2



T5 1-24W BP




	<p>Lamp Voltage:</p> <p>Vrms: 78.9 (V)</p> <p>Vm: 124.7 (V)</p> <p>Vcf: 1.58</p>
	<p>Lamp Current RMS: 0.285 (A)</p> <p>I_{lm}: 0.429 (A)</p> <p>I_{lcf}: 1.51 -1.52</p> <p>I_{ldhc}: 0.9 %</p>
	<p>Filament Current:</p> <p>I_{frms}: 0.132 (A)</p> <p>I_{fm}: 0.227 (A)</p> <p>I_{fcf}: 1.72</p>
	<p>Current Lead to Cathode:</p> <p>I_{krms}: 0.314 (A)</p> <p>I_{km}: 0.492 (A)</p> <p>I_{kcf}: 1.57</p>
<p>P_{out}: 21.9 (W) f : 36.68 (kHz)</p>	





T5 1-24W BP




Input Characteristic		Luminous flux: lm		Color Temperature: K		
		Urms (V)	230.0	Irms (A)	0.211	Irmsw (A)
P (W)	24.8	PF	0.512	PFw	0.512	
Freq (Hz)	49.90	CFv	1.41	CFi	4.32	
THDU		THDI		THDIw		
1.5%(IEC)		155.6%(IEC)		155.6%(IEC)		
Output Characteristic		Vrms	Ilrms	spectrum	Voltage	Current
		78.9 (V)	0.286 (A)	k	%	%
		Ifrms	Ikrms	1	100.0	100.0
		0.132 (A)	0.316 (A)	3	1.3	91.1
		Pout	f	5	0.4	75.2
		22.1 (W)	36.70 (kHz)	7	0.7	56.8
		Ilm	Ilcf	9	0.0	40.7
		0.431 (A)	1.51	11	0.1	31.2



T5 1-24W BP





T5 1-24W BP

